

Penerapan Terapi Murotal Pada Ibu Post Partum Dengan Sectio Cesarea (SC) Di RSUD
Kraton Pekalongan

Arif Irawan (2018)

Program Studi Diploma III Keperawatan Stikes Muhammadiyah Pekajangan
Pekalongan

Windha Widyastuti, M.N.S

Abstrak

Masalah utama yang sering dirasakan pada pasien post SC adalah nyeri. Sebagian besar masyarakat dan anggota keluarga pasien post SC di RSUD Kraton kurang mengetahui terapi murotal yang merupakan terapi nonfarmakologi yang lebih efektif untuk mengatasi nyeri. Tujuan dari studi kasus ini untuk menggambarkan penerapan terapi murotal dalam mengatasi nyeri pada pasien post SC di RSUD Kraton. Metode yang digunakan dalam karya tulis ilmiah ini adalah melalui studi kasus. Subyek studi kasus ini yaitu dua pasien post SC yang mengalami nyeri dan diberikan terapi murotal selama tiga hari kelolaan dengan pelaksanaan terapi dua kali dalam sehari. Hasil dari studi ini adalah terapi murotal terbukti efektif dalam penurunan skala nyeri Ibu post SC. Diharapkan perawat dapat menggunakan terapi murotal sebagai metode dalam penurunan nyeri di ruang nifas dan mengajarkan kepasien agar pasien bisa menerapkan terapi murotal secara mandiri ketika nyeri muncul.

Kata Kunci: Persalinan, post SC, nyeri, terapi murotal.

Application of Murotal Therapy On Mother Post Partum With Sectio Cesarea (SC) In RSUD
Kraton Pekalongan

Arif Irawan (2018)

Nursing Diploma III Study Program Stikes Muhammadiyah Pekajangan Pekalongan

Windha Widyastuti, M.N.S

Abstract

The main problem that is often felt in patients post SC is pain. Most of the community and family members of post-SC patients at RSUD Kraton are less aware of murotal therapy which is a more effective nonfarmakologi therapy to overcome the pain. The purpose of this case study is to illustrate the application of murotal therapy in treating pain in post-SC patients at RSUD Kraton. The method used in this scientific paper is through case studies. The subjects of this case study were two post-SC patients who experienced pain and were given murotal therapy for three days under management with twice daily therapy. The result of this study is that murotal therapy has been shown to be effective in decreasing pain scale in post-SC. It is expected that nurses can use murotal therapy as a method of pain reduction in the puerperium and teach patients to be able to apply murotal therapy independently when pain occurs.

Keywords: Labor, post-SC, pain, murotal therapy.