

HALAMAN ABSTRAK

Program Studi Pendidikan Profesi Ners
Fakultas Ilmu Kesehatan
Universitas Muhammadiyah Pekajangan Pekalongan
Juli, 2024

ABSTRAK

Salisa Tara Wahani¹, Neti Mustikawati², Sofiyah³

Aplikasi Perawatan Perianal pada Anak Diare dengan Gangguan Integritas Kulit di RSUD Kardinah Kota Tegal

Latar Belakang: Diare merupakan sindroma diare akut dengan atau tanpa muntah, yang diperkirakan penyebabnya adalah kolonisasi kuman patogen dalam saluran pencernaan. Kerusakan integritas kulit juga merupakan salah satu masalah anak yang menderita diare. Pencegahan ruam atau kemerahan dapat dilakukan dengan perawatan perianal. Penelitian ini bertujuan untuk mengetahui efektivitas perawatan perianal pada anak diare dengan gangguan integritas kulit

Metode: Desain penelitian ini menggunakan studi kasus dengan responden anak dengan diare yang diberikan intervensi perawatan perianal. Data dikumpulkan dengan cara wawancara, observasi dan pemeriksaan fisik pada pasien.

Hasil: Hasil penelitian menunjukkan ruam di area perianal pada hari ke empat mulai berkurang. Dapat disimpulkan bahwa terdapat perbedaan antara sebelum dan sesudah dilakukan tindakan yang artinya perawatan perianal efektif untuk mengurangi ruam pada anak diare dengan gangguan integritas kulit.

Simpulan dan Saran: Perawatan perianal efektif untuk mengurangi ruam kemerahan pada anak diare dengan gangguan integritas kulit.

Kata kunci: *Perawatan perianal, gangguan integritas kulit, diare*

Daftar Pustaka: 23 (2010-2024).

ABSTRACT

Salisa Tara Wahani¹, Neti Mustikawati², Sofiyah³

The Implementation of Perianal Care in Children with Diarrhea with Skin Integrity Disorders at Kardinah Hospital, Tegal City

Background: Diarrhea is an acute diarrheal syndrome with or without vomiting, which is thought to be caused by the colonization of pathogenic germs in the gastrointestinal tract. Damage to skin integrity is also one of the problems of children suffering from diarrhoea. Prevention of rash or redness can be done with perianal treatment. This study aims to determine the effectiveness of perianal treatment in children with diarrhoea with skin integrity disorders.

Methods: This study used a case study with child respondents with diarrhoea who were given perianal care interventions. Data was collected by means of interviews, observations and physical examinations of patients.

Results: The results showed that the rash in the perianal area on the fourth day began to decrease. It can be concluded that there is a difference between before and after the action is taken, which means that perianal treatment is effective in reducing rashes in children with diarrhoea with impaired skin integrity.

Conclusions and Suggestions: Perianal treatment is effective in reducing redness rash in children with diarrhea with impaired skin integrity.

Keywords: *Perianal care, skin integrity disorders, diarrhoea*

Bibliography: 23 (2010-2024)