

Penerapan Terapi Dzikir Terhadap Penurunan Intensitas Skala Nyeri Pada Pasien Post Operasi Ca Mammae Di RSUD Kraton Pekalongan

Asri Mardatilla (2018)

Program Studi Diploma III Keperawatan STIKES Muhammadiyah
Pekajangan Pekalongan

Firman Faradisi M.N.S, Tri Sakti Wirotomo M.Kep

Abstrak

Prevalensi ca mammae di Indonesia mengalami peningkatan cukup tinggi serta angka kematian kasus kanker pada perempuan yaitu ca mammae berada di urutan pertama. Salah satu penanganan kasus ca mammae yaitu dengan pembedahan dan akibat pembedahan tersebut akan menimbulkan nyeri. Tujuan studi kasus ini adalah memberikan asuhan keperawatan dan menganalisis penerapan terapi dzikir untuk menurunkan nyeri. Metode yang digunakan yaitu pre dan post analisis yaitu menganalisa atau mengkaji nyeri sebelum dan setelah pemberian terapi dzikir. Subjek studi kasus ini yaitu dua pasien yang menjalani operasi ca mammae dengan pemberian terapi dzikir selama 3 hari Hasil yang didapatkan terbukti bahwa terapi dzikir efektif untuk menurunkan nyeri post operasi ca mammae. Diharapkan perawat dapat menggunakan terapi dzikir sebagai salah satu prosedur untuk menurunkan nyeri.

Kata Kunci: Ca mammae, nyeri, terapi dzikir

***The Application of Dzikir Therapy to Decreased
Pain Scale in Patient Post Mammae Cancer Operation
At Kraton Pekalongan Hospital***

Asri Mardatilla (2018)

Program Studi Diploma III Keperawatan STIKES Muhammadiyah
Pekajangan Pekalongan
Firman Faradisi M.N.S, Tri Sakti Wirotomo M.Kep

Abstract

The prevalence of mammae cancer in Indonesia has increased substantially and the death rate of cancer cases in women is mammae cancer is in the first rank place. One of the management of cases mammae cancer is surgery and surgery will cause pain. The purpose of this case study is to provide nursing care and analyze the application of dzikir therapy to reduce pain. The method used is pre and post analysis that is analyzing or reviewing pain before and after giving dzikir therapy. The subjects of this case study were two patients who underwent mammae cancer surgery with dzikir therapy for three days. The results proved that dzikir therapy effective to reduce pain postoperative mammae cancer. It is expected that nurses can use dzikir therapy as one of the procedures to reduce pain.

Keywords: mammae cancer, pain, dzikir therapy